LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings of claims in the

application:

1. (currently amended) An anionic coloring agent for a substrate, having modified

dyeing properties comprising at least one spacer arm bound to said anionic coloring agent,

wherein said spacer arm bound to said anionic coloring agent modifies at least the affinity of said

anionic coloring agent for said substrate.

2. (currently amended) The anionic coloring agent of claim 1 having the

following formula:

 C_A-B_E

wherein:

CA is an anionic coloring agent comprising at least one chromophore group; and

B_E is said spacer-arm, which has the following chemical structure:

$$-(X - R - Z)_n$$

wherein:

X is a direct link or a group having the formula -S(O)s, wherein s is 0, 1 or 2; -

 NR_1 -, wherein R_1 is hydrogen or a C_1 - C_{10} alkyl group;

R is a C₁-C₁₀ straight or branched alkylene group;

Z is a polar group; and

R <u>n</u> is an integer equal or <u>greater</u> higher than 1.

{M:\0522\0k107\00066010.DOC Serial No. 10/023,962 Response to Office Action dated April 7, 2003

Docket No. 00522/000K107-US0

3. (currently amended) The anionic coloring agent of claim 2, wherein said

chromophore is selected from the group consisting of azo, anthraquinone, formazane, dioxazine,

and ftalocianine, eventually metallized.

4. (currently amended) The anionic coloring agent of claim 1, wherein said spacer

arm has the formula:

$$-(CH_2)_n - Z$$

wherein:

n is an integer between 1 and 10;

Z is selected from the group consisting of halo, amino, cyano, hydroxyl, carboxyl,

carboxamide, and their N alkyl, dialkyl derived from C_1 - C_{10} , and esterified sterified carboxyl.

5. (Amended) The anionic coloring agent of claim 1, wherein said spacer arm has

the formula:

$$-NY - (CH_2)_n - Z'$$

wherein:

Z' is hydrogen or is selected from the group consisting of halo, cyano, hydroxyl,

carboxyl, carboxamide, and their N alkyl and dialkyl derived from C1-C10, esterified sterified

carboxyl with $C_{1^{-10}}$ alkyl, $-SR^2$ -, where R^2 is hydrogen or $C_{1^{-10}}$ alkyl;

n is an integer between 1 and 10; and

Y is hydrogen, alkyl or C_{1-10} hydroxyalkyl.

{M:\0522\0k107\00066010.DOC Serial No. 10/023,962 Response to Office Action dated April 7, 2003

Docket No. 00522/000K107-US0

6. (currently amended) The anionic coloring <u>agent</u> of claim 5, wherein the spacer arm has the <u>following</u> structure.

$$-NY - (CH_2)_n - NR_1R_2$$

wherein:

Y is hydrogen, hydroxyalkyl or C_{1-10} alkyl;

n is an integer between 1 and 10; and

 R_1 and R_2 are independently hydrogen or C_{1-10} alkyl.

7. (previously presented) The anionic coloring agent of claim 1, wherein said spacer arm has the following structure:

- NY -
$$(CH_2)_n$$
 - NR_3 - $(CH_2)_2$ - X

wherein:

Y is hydrogen, hydroxyalkyl or C_{1-10} alkyl;

n is an integer between 1 and 10; and

 R_3 and R_4 are independently hydrogen or $C_{1\mbox{-}10}$ alkyl.

8. (currently amended) The anionic coloring agent of claim 1, wherein said spacer arm has the following structure:

$$-NY - (CH_2)_2 - W$$

wherein:

Y is hydrogen, hydroxyalkyl or C₁₋₁₀ alkyl;

W is selected from the group consisting of -S -SO₃R₅ and -S-SO₃R₆; wherein R₅

and R₆ are independently hydrogen or C₁₋₁₀ alkyl.

9. (previously presented) The anionic coloring agent of claim 1, comprising more

than one spacer arm.

10. (previously presented) A coloring composition comprising at least one

anionic coloring agent of claim 1.

11. (previously presented) The coloring composition of claim 10, comprising at

least one anionic coloring agent without spacer arms.

12. (previously presented) A method of dyeing a fiber or fabric selected from the

group consisting of cotton, regenerated cellulose, nylon and wool, comprising adding an anionic

coloring agent of claim 1 to said fiber or fabric.

13. (previously presented) A method of dyeing a substrate selected from the group

consisting of leather, cardboard and paper, comprising adding an anionic coloring agent of claim

1 to said substrate.

14. (previously presented) A method of dyeing a fiber or fabric selected from the

group consisting of cotton, regenerated cellulose, nylon and wool, comprising adding the

coloring composition of claim 10 to said fiber or fabric.

{M:\0522\0k107\00066010.DOC

Serial No. 10/023,962

Response to Office Action dated April 7, 2003

Docket No. 00522/000K107-US0

Page 6

15. (previously presented) A method of dyeing a substrate selected from the group

consisting of leather, cardboard and paper, comprising adding the coloring composition of claim

10 to said substrate.

16. (previously presented) A substrate dyed with the anionic coloring agent of

claim 1.

17. (previously presented) A substrate, dyed with the anionic coloring agent of

claim 10.

18. (original) A method of dyeing a fiber or fabric selected from the group

consisting of cotton, regenerated cellulose, nylon and wool, comprising adding the coloring

composition of claim 11 to said fiber or fabric.

19. (original) A method of dyeing a substrate selected from the group consisting

of leather, cardboard and paper, comprising adding the coloring composition of claim 11 to said

substrate.

20. (original) A substrate, dyed with the anionic coloring agent of claim 11.

{M:\0522\0k107\00066010.DOC Serial No. 10/023,962 Response to Office Action dated April 7, 2003

Docket No. 00522/000K107-US0

21. (new) An anionic coloring agent having modified dyeing properties, comprising a least one spacer arm bound to said anionic coloring agent, wherein said spacer arm has the following structure:

- NY -
$$(CH_2)_n$$
 - NR_3 - $(CH_2)_2$ - X

wherein:

Y is hydrogen, hydroxyalkyl or C₁₋₁₀ alkyl;

X is
$$-COOR_4$$
, $-CONH_2$, $-CN$ or $-SO_3H$;

n is an integer between 1 and 10; and

 R_3 and R_4 are independently hydrogen or $C_{1\text{--}10}$ alkyl.

22. (new) An anionic coloring agent having modified dyeing properties, comprising a least one spacer arm bound to said anionic coloring agent, wherein said spacer arm has the following structure:

- NY -
$$(CH_2)_2$$
 - W

wherein:

Y is hydrogen, hydroxyalkyl or C_{1-10} alkyl;

W is selected from the group consisting of -S -SO₃R₅ and SO₃R₆; wherein R₅ and R₆ are independently hydrogen or C_{1-10} alkyl.